

5,000 PSI Grease Injection Pump

Product Description:

The 5K Grease Injection Pump is a mobile pump for the general application of grease injection for wellhead servicing and maintenance. The robust design and the agile movement of the pump allows manoeuvrability around the wellhead in tight spaces and increase the efficiency of personnel performing the servicing task.

Key Features:

- Compact, Australian made, pump motor ratio 50:1
- Unique design, single piece footplate
- "Z" Swivel on the whip hose allowing rotating while servicing
- Customisable as needed

Features and Specifications:

- 3.5 meters of 3/8" x Discharge Hose – 10,000 psi
- 0.5 meters of 3/8" x Whip Hose – 10,000 psi
- Liquid Filled Pressure Gauge – 10,000 psi
- Gauge Cover
- On / Off Valve
- Safety Vent Coupler
- "Z" Swivel on Whip Hose
- Grease volume indicator
- Control Panel
- Air Motor Oiler
- Air Motor Regulator
- Heavy Duty Foot Plate
- Maximum operating air motor air pressure of 100 psi
- Maximum grease pump discharge – 5,000 psi



Image is for illustration purposes only.
Product Code: ACC-DR-5K-PUMP

7,000 PSI Grease Injection Pump

Product Description:

The 7k Grease Injection Pump is a mobile pump for the general application of grease injection for wellhead servicing and maintenance. The robust design and the agile movement of the pump allows manoeuvrability around the wellhead in tight spaces and increase the efficiency of personnel performing the servicing task.

The Grease Injection Pump comes with a standard 11" foot-plate that can accommodate pail size 20 and 40 pounds. ACC also has the option for a 9-7/8" footplate to suit a smaller pail I.D.

Key Features:

- Compact, Australian made, pump motor ratio 70:1
- Unique design, single piece footplate
- "Z" Swivel on the whip hose allowing rotating while servicing
- Customisable as needed

Features and Specifications:

- 3.5 meters of 3/8" x Discharge Hose – 10,000 psi
- 0.5 meters of 3/8" x Whip Hose – 10,000 psi
- Liquid Filled Pressure Gauge – 15,000 psi
- Gauge Cover
- On / Off Valve
- Safety Vent Coupler
- "Z" Swivel on Whip Hose
- Grease volume indicator
- Control Panel
- Air Motor Oiler
- Air Motor Regulator
- Heavy Duty Foot Plate
- Maximum operating air motor air pressure of 100 psi
- Maximum grease pump discharge – 7,000 psi



Image is for illustration purposes only.
Product Code: ACC-DR-7K-PUMP

10,000 PSI Mini Lube Grease Injection Pump

Product Description:

The 10K MLT Grease Injection Pump is a high-pressure mobile pump for the general application of grease injection for wellhead servicing and maintenance. The robust design and the agile movement of the pump allows easy manoeuvrability around the wellhead in tight spaces and increase the efficiency of personnel performing the servicing task.

Key Features:

- Compact, Australian made, pump motor ratio 100:1
- Unique design, single piece footplate
- "Z" Swivel on the whip hose allowing rotating while servicing
- Customisable as needed

Features and Specifications:

- 3.5 meters of 3/8" x Discharge Hose – 10,000 psi
- 0.5 meters of 3/8" x Whip Hose – 10,000 psi
- Liquid Filled Pressure Gauge - 15,000 psi
- Gauge Cover
- On / Off Valve
- Safety Vent Coupler
- "Z" Swivel on Whip Hose
- Air Motor Oiler
- Air Motor Regulator
- 11" Floating Footplate
- Maximum operating air motor air pressure of 100 psi
- Maximum grease pump discharge – 10,000 psi



Image is for illustration purposes only.
Product Code: ACC-MLT-10K-PUMP

10,000 PSI Grease Injection Pump

Product Description:

The 10K SAM Grease Injection Pump is a mobile high-pressure pump for the general application of grease injection for wellhead servicing and maintenance. The robust design and the agile movement of the pump allows easy manoeuvrability around the wellhead in tight spaces and increases the efficiency of personnel performing the servicing task.

The Grease Injection Pump comes with a standard 11" footplate that can accommodate pail size 20 and 40 pounds. ACC also has the option for a 9-7/8" footplate to suit a smaller pail I.D.

Key Features:

- Compact, Australian made, pump motor ratio 100:1.
- Unique design, single piece footplate.
- "Z" Swivel on the whip hose allowing rotating while servicing.
- Customisable as needed.

Features and Specifications:

- High Grease Flow
- Suitable for zone 1; 21; 2 and 22
- Grounding Cable
- 3.5 meters of 3/8" x Discharge Hose – 10,000 psi
- 0.5 meters of 3/8" x Whip Hose – 10,000 psi
- Liquid Filled Pressure Gauge – 15,000 psi
- Gauge Cover
- On / Off Valve
- Safety Vent Coupler
- "Z" Swivel on Whip Hose
- Grease level indicator
- Control Panel
- Air Motor Oiler
- Air Motor Regulator
- Heavy Duty Foot Plate
- Maximum operating air motor air pressure of 100 psi
- Maximum grease pump discharge – 10,000 psi



Image is for illustration purposes only.
Product Code: ACC-DR-10K-SAM-PUMP